

(Click on Well Log ID to Access Image of Well Strip Log)

ANDREW

(Records are Sorted by Township, Range, and Section)

LOG ID: 016522

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/07

TOWNSHIP

RANGE SECTION **ELEVATION:**

966FT

DRILL DEPTH:

150FT

58N 33W

DRIFT WELL (143')

17

UTM Y

DEPTH TO BED:

143FT

UTM X 361,552.37

4,410,721.57 ZONE 15

County Base Map

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Oil Well 007944

DRILL DATE:

1942/09/01

TOWNSHIP

58N

SECTION RANGE

ELEVATION:

950FT

DRILL DEPTH:

2,377FT

33W 18

UTM X

UTM Y

DEPTH TO BED:

359,853.35

ZONE 15

4,410,856.55

150FT

REMARKS: #1 A.J. SCHNEIDER - 2.5 MI SE OF COSBY

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

016455

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

917FT

DRILL DEPTH:

58N

33W

YIELD - ESTIMATED POTENTIAL

18

130FT

UTM X

UTM Y

DEPTH TO BED:

117FT

359,953.35

4,410,757.55

REMARKS:

REMARKS:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016444

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/08

TOWNSHIP

RANGE

SECTION 13

ELEVATION:

979FT

DRILL DEPTH:

165FT

58N

34W

UTM X

357,769.33

ZONE 15

UTM Y 4,410,844.53

DEPTH TO BED:

DRIFT WELL (162')

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

2/26/2007

14



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017863

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/05/08 DRILL DATE:

TOWNSHIP RANGE SECTION 58N 34W 14

ELEVATION:

DRILL DEPTH: 116FT

UTM X

UTMY 4,410,904.50

913FT

DEPTH TO BED: 113FT 355,584.30

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRIFT WELL (113')

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

1957/05/08

016481

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

SECTION RANGE

ELEVATION:

862FT

DRILL DEPTH:

83FT

58N 34W 15

UTM X

ZONE 15

UTMY

DEPTH TO BED: 76FT 354,184.29

4,410,939.49

REMARKS: DRIFT WELL (76')

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

016538

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/09

TOWNSHIP RANGE **SECTION**

ELEVATION:

878FT

DRILL DEPTH:

103FT

58N

34W 16

UTM X **UTMY**

DEPTH TO BED:

100FT

352,566.27

4,410,977.47 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRIFT WELL (100')

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016491

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/09

TOWNSHIP

RANGE SECTION

34W

ELEVATION:

970FT

DRILL DEPTH:

165FT

58N

17

UTM X UTM Y

DEPTH TO BED:

157FT

350.945.26

4,411,024.46

ZONE 15

S.W.L. (BEFORE CASING):

DRIFT WELL (157') **REMARKS**:

S.W.L. (AFTER CASING):



SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016795

DRILL DEPTH:

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/05/15 **TOWNSHIP RANGE**

> 58N 34W 24

UTM X **UTMY** DEPTH TO BED: 86FT

358,335.34 4,410,023.52

ELEVATION:

ZONE 15

1,036FT

S.W.L. (BEFORE CASING): **REMARKS:**

90FT

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016448

TOWNSHIP SECTION DRILL DATE: 1956/05/10 **RANGE ELEVATION:** 870FT

34W 58N 7 DRILL DEPTH: 45FT

UTM X UTMY

DEPTH TO BED: 42FT 348,954.22 4,414,100.49 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: DRIFT WELL (42')

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 026625

DRILL DATE: 1970/08/22 **TOWNSHIP RANGE SECTION ELEVATION:** 877FT

58N 34W 7 **DRILL DEPTH:** 1.237FT

UTM X **UTMY**

DEPTH TO BED: 130FT 349,454.23 4,413,585.48 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS: BUSHMAN #1: DRILLED & ABANDONED**

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016442 Exploratory Hole (Mineral Prospect)

1957/05/10 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,004FT

DRILL DEPTH: 66FT UTM X UTM Y

35W

DEPTH TO BED: 347,361.21 4,414,351.50 65FT

DRIFT WELL (65')

ZONE 15

S.W.L. (BEFORE CASING):

58N

S.W.L. (AFTER CASING):



RANGE

SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016464

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/05/13 DRILL DATE: **TOWNSHIP**

58N 35W 10 **DRILL DEPTH:** 178FT

UTM X **UTMY** DEPTH TO BED: 175FT 345,437.21 4,414,242.50

ZONE 15

ELEVATION:

1,032FT

S.W.L. (BEFORE CASING):

DRIFT WELL REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016496

DRILL DATE: **TOWNSHIP SECTION** 1957/05/09 **RANGE ELEVATION:** 893FT

35W 13 58N DRILL DEPTH: 36FT

UTM X UTM Y DEPTH TO BED: 31FT 347,867.24 4,411,143.45

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016510

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1952/05/14 **TOWNSHIP RANGE SECTION ELEVATION:** 878FT

58N 35W 13 **DRILL DEPTH:** 110FT

UTM X **UTMY DEPTH TO BED:** 104FT 348,067.23 4,412,599.47

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS: DRIFT WELL**

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

016449 Exploratory Hole (Mineral Prospect)

150FT

DRILL DATE: 1957/05/10 **TOWNSHIP RANGE SECTION ELEVATION:** 1,018FT

UTM X UTM Y

35W

15

DEPTH TO BED: 344.794.22 4,411,821.47 144FT

ZONE 15

S.W.L. (BEFORE CASING):

58N

DRIFT WELL REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024546

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1966/11/07 **TOWNSHIP RANGE SECTION** 58N 35W 18

ELEVATION: 816FT

DRILL DEPTH: 47FT

UTM X 339,154.21

UTMY 4,411,303.46

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

MISSOURI RIVER PROFILE STUDY **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 013870

WELL TYPE Private Well

DRILL DATE:

1955/07/15

TOWNSHIP

SECTION RANGE

ELEVATION:

985FT

DRILL DEPTH:

855FT

58N 35W 23

UTM X

UTMY

DEPTH TO BED:

55FT

40

346,795.25 4,409,559.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016497

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/13

TOWNSHIP

RANGE SECTION **ELEVATION:**

342,235.19

868FT

DRILL DEPTH:

90FT

58N 35W 5

UTM X

ZONE 15

DEPTH TO BED:

84FT

UTMY 4,414,464.51

S.W.L. (BEFORE CASING):

REMARKS: DRIFT WELL (84')

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016545

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/14

TOWNSHIP

RANGE SECTION **ELEVATION:**

967FT

58N

35W

UTM X

DRILL DEPTH:

191FT 184FT

5

341,235.19

ZONE 15

UTM Y 4,415,304.53

DEPTH TO BED:

REMARKS: DRIFT WELL (184')

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016530

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/06/19 TOWNSHIP RANGE SECTION ELEVATION:

DRILL DEPTH: 58N 35W

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 106FT 339,189.19 4,413,724.50

ZONE 15

821FT

S.W.L. (BEFORE CASING): REMARKS: ALLUVIUM WELL (106') MISSOURI RIVER BOTTOMS

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016447 Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/06/20 TOWNSHIP RANGE SECTION ELEVATION: 815FT

DRILL DEPTH: 105FT 58N 36W 11

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 103FT 337,440.18 4,413,649.51

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: DRIFT WELL (103')

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016446 Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u> 1957/06/20 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 814FT

<u>DRILL DEPTH:</u> 105FT 58N 36W 23

REMARKS:

<u>UTM X</u> <u>UTM Y</u>

YIELD ESTIMATED POTENTIAL

33W

19

<u>DEPTH TO BED:</u> 102FT 336,992.20 4,411,128.46

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

016460 Exploratory Hole (Mineral Prospect)

117FT

<u>DRILL DATE:</u> 1957/05/15 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,025FT

59N

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 110FT 360,121.28 4,420,257.68

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016443

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/05/15 **TOWNSHIP** 59N

SECTION 20

ELEVATION: 1,051FT

DRILL DEPTH:

55FT

33W

RANGE

UTM X

DEPTH TO BED: 50FT

UTM Y 4,420,226.69

S.W.L. (BEFORE CASING):

361,731.29

ZONE 15

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 027503

WELL TYPE Oil Well

DRILL DATE:

1973/12/07

TOWNSHIP

SECTION RANGE 34W

ELEVATION:

924FT

DRILL DEPTH:

1,250FT

59N

14

UTM X

UTMY

DEPTH TO BED:

40FT

355,944.22 4,421,739.64

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

VERY POOR SAMPLES, DO NOT USE FOR CORRELATION,

PLUGGED; TOPS FROM E-LOG

LOG ID: 027660

WELL TYPE

Oil Well

DRILL DATE:

1974/01/10

TOWNSHIP

RANGE

SECTION

24

ELEVATION: 1,010FT

DRILL DEPTH:

1,300FT

59N 34W

UTM X

ZONE 15

DEPTH TO BED:

180FT

357,914.26

UTMY 4,419,692.64

REMARKS: ABANDONED & PLUGGED

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

016463

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/15

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,008FT

DRILL DEPTH:

26FT

59N

34W 30

UTM X

UTM Y

DEPTH TO BED:

23FT

350.467.19

4,418,921.54 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027501

WELL TYPE Oil Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,062FT

59N 34W **DRILL DEPTH:** 1,491FT

UTM X **UTMY** DEPTH TO BED: 70FT 352,517.16 4,425,255.64

ZONE 15

S.W.L. (BEFORE CASING): VERY POOR SAMPLES; DO NOT USE FOR CORRELATION; **REMARKS**:

PLUGGED S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 028535

TOWNSHIP SECTION DRILL DATE: 1983/01/ **RANGE ELEVATION:** 1,000FT

34W 59N 4 DRILL DEPTH: 735FT

UTM X **UTMY** DEPTH TO BED: 5FT 353,717.18 4,423,969.64

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Exploratory Hole (Mineral Prospect) 026731

DRILL DATE: 1971/01/19 **TOWNSHIP RANGE SECTION ELEVATION:** 1,002FT

59N 34W 6 **DRILL DEPTH:** 1.460FT

UTM X **UTMY DEPTH TO BED:** 350,150.14 4,425,295.62

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: #1 KELLY-RICKMAN - PLUGGED AND ABANDONED

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Oil Well 027497

1973/11/03 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,053FT

DRILL DEPTH: 1,498FT UTM X UTM Y

34W

8

DEPTH TO BED: 140FT 350.861.16 4,422,831.60

ZONE 15

59N

S.W.L. (BEFORE CASING):

O&G #20003 **REMARKS:** S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027498

WELL TYPE Oil Well

1973/11/08 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 59N 34W 1,455FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 70FT 352,161.17 4,423,724.62

8

5 MI E OF SAVANNAH, E SIDE OF 102 RIVER

ZONE 15

1,005FT

S.W.L. (BEFORE CASING): POOR SAMPLES; O&G #20004; PLUGGED **REMARKS:**

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 006381

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1940/10/04 **RANGE ELEVATION:** 955FT

59N 35W 1 DRILL DEPTH: 100FT

UTM X **UTMY** DEPTH TO BED: 11FT 348,669.14 4,424,022.62

ZONE 15 S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016480

SECTION DRILL DATE: 1957/05/14 **TOWNSHIP RANGE ELEVATION:** 1,024FT

59N 35W 29 **DRILL DEPTH:** 138FT

UTM X **UTMY DEPTH TO BED:** 134FT 341,181.16 4,418,527.58

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

017862 Exploratory Hole (Mineral Prospect)

71FT

DRILL DATE: 1957/05/14 **TOWNSHIP RANGE SECTION ELEVATION:** 981FT

UTM X UTM Y DEPTH TO BED: 4,416,720.55

35W

32

64FT 340.933.17

ZONE 15

59N

S.W.L. (BEFORE CASING): **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002085

DRILL DEPTH:

WELL TYPE Oil Well

1920/07/21 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 59N 35W 2,516FT

UTM X **UTMY** DEPTH TO BED: 90FT 341,222.12 4,423,869.67

8

8

ELEVATION:

ZONE 15

1,068FT

S.W.L. (BEFORE CASING):

#1 W.E. PATTERSON **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006882 Community Public Well

TOWNSHIP SECTION DRILL DATE: 1941/01/28 **RANGE ELEVATION:** 1,099FT

35W 59N DRILL DEPTH: 114FT

UTM X **UTMY** DEPTH TO BED: 98FT 341,522.12 4,423,567.66

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 000377

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,099FT

59N 35W 9 **DRILL DEPTH:** 390FT

UTM X UTM Y

DEPTH TO BED: 343,741.13 4,423,126.64 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** JUST SOUTH OF #378 - AT SAVANNAH - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well 000378

70FT

DRILL DATE: TOWNSHIP RANGE SECTION 1,099FT **ELEVATION:**

UTM X UTM Y DEPTH TO BED: 343.741.14 4,422,922.64

35W

9

59N

ZONE 15 S.W.L. (BEFORE CASING):

DRILLER'S LOG ONLY - NB-432 **REMARKS:** S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026615

DRILL DEPTH:

WELL TYPE Oil Well

<u>DRILL DATE:</u> 1970/08/16 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u>

1,610FT 59N 36W 23

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 337,055.13 4,420,761.64

ZONE 15

1,077FT

S.W.L. (BEFORE CASING): REMARKS: PLUGGED & ABANDONED 10/1970

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024547 Exploratory Hole (Mineral Prospect)

DRILL DATE: 1966/11/07 TOWNSHIP RANGE SECTION ELEVATION: 820FT

DRILL DEPTH: 47FT 59N 36W 29

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 331,679.12 4,419,234.64

MISSOURI RIVER PROFILE STUDY

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016489 Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u> 1957/05/20 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 985FT

DRILL DEPTH: 30FT 60N 34W 21

<u>DTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 29FT 352,565.13 4,429,190.69

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027502 Oil Well

DRILL DATE: 1973/11/30 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 995FT

DRILL DEPTH: 1,460FT UTM X UTM Y

34W

27

<u>DEPTH TO BED:</u> 40FT 354,407.16 4,427,206.69

S.W.L. (BEFORE CASING):

<u>S.W.L. (BEFORE CASING).</u>

<u>REMARKS:</u> VERY POOR SAMPLES - DO NOT USE LOG; CORRELATIONS

60N

S.W.L. (AFTER CASING): FROM E-LOG



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001557

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 986FT

60N 35W 14 **DRILL DEPTH:** 175FT

UTM X **UTMY** DEPTH TO BED: 5FT 347,690.10 4,431,934.72

ZONE 15

S.W.L. (BEFORE CASING): PLUGGED & ABANDONED - DRILLER'S LOG ONLY **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Exploratory Hole (Mineral Prospect) 016520

DRILL DATE: **TOWNSHIP SECTION** 1957/06/19 **RANGE ELEVATION:** 1,055FT

60N 35W 20 DRILL DEPTH: 98FT

UTM X **UTMY** DEPTH TO BED: 89FT 342,781.08 4,430,449.75

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Oil Well 004336

DRILL DATE: 1937/04/09 **TOWNSHIP RANGE SECTION ELEVATION:** 993FT

60N 35W 28 **DRILL DEPTH:** 1,435FT

UTM X **UTMY DEPTH TO BED:** 343,455.09 4,428,296.72 25FT

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: #1 WM. C. CLARK

S.W.L. (AFTER CASING): 150

LOG ID: **WELL TYPE** Oil Well 005693

1939/10/26 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,048FT

DRILL DEPTH: 1,555FT UTM X UTM Y

35W

28

DEPTH TO BED: 30FT 343.755.10 4,427,990.71

ZONE 15

60N

S.W.L. (BEFORE CASING): #1 GEORGE GEE **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016469

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/05/22 DRILL DATE:

TOWNSHIP RANGE 60N

ELEVATION:

1,115FT

DRILL DEPTH:

50FT

35W

UTM X

UTMY 4,426,403.70

DEPTH TO BED:

45FT

341,891.10

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005602

WELL TYPE

Oil Well

DRILL DATE:

1939/09/

TOWNSHIP 60N

SECTION RANGE

ELEVATION:

1,041FT

DRILL DEPTH:

2,195FT

34 35W

UTM X

UTMY

DEPTH TO BED:

530FT

SECTION

32

345,529.11

4,426,946.68

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 HOLT

S.W.L. (AFTER CASING):

LOG ID: 006893

WELL TYPE

Private Well

DRILL DATE:

1941/06/15

TOWNSHIP

RANGE

SECTION

ELEVATION:

908FT

DRILL DEPTH:

265FT

60N 36W 20

DEPTH TO BED:

50FT

UTM X **UTMY**

331,599.05 4,429,669.85

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY - MADE FROM DRILLER'S MEMORY ONLY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016468

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,079FT

UTM Y

DRILL DEPTH:

60N

36W

DEPTH TO BED:

82FT 76FT 25

UTM X

338.798.09 4,427,473.75

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005737

DRILL DATE:

DRILL DEPTH:

WELL TYPE Oil Well

1939/11/16 **TOWNSHIP RANGE**

60N 37W 12

SECTION

UTM X **UTMY**

894FT

1,071FT

DEPTH TO BED: 115FT 329,997.05 4,432,595.89

ZONE 15

ELEVATION:

ELEVATION:

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 SHORES

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016544

2,780FT

DRILL DATE: **TOWNSHIP SECTION** 1957/06/12 **RANGE**

33W 10 61N DRILL DEPTH: 303FT

UTM X **UTMY** DEPTH TO BED: 294FT 362,412.18 4,440,499.89

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016456

DRILL DATE: 1957/06/12 **TOWNSHIP RANGE SECTION ELEVATION:** 1,101FT

61N 33W 17 **DRILL DEPTH:** 72FT

UTM X **UTMY DEPTH TO BED:** 69FT 360,375.17 4,439,145.86

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016490 Exploratory Hole (Mineral Prospect)

101FT

1957/05/20 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,105FT

DRILL DEPTH: UTM X UTM Y

33W

32

DEPTH TO BED: 98FT 359.834.19 4,433,497.81

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**:

61N

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016434

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/05/20 DRILL DATE: **TOWNSHIP RANGE SECTION**

61N 33W 34 **DRILL DEPTH:** 66FT

UTM X **UTMY** DEPTH TO BED: 362,248.21 4,433,440.84

ZONE 15

ELEVATION:

1,067FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016445

TOWNSHIP SECTION DRILL DATE: 1957/06/11 **RANGE ELEVATION:** 1,068FT

33W 61N 6 DRILL DEPTH: 135FT

UTM X UTMY DEPTH TO BED: 358,661.15 130FT 4,441,603.85

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016543

DRILL DATE: 1957/06/11 **TOWNSHIP RANGE SECTION ELEVATION:** 1,066FT

61N 33W 8 **DRILL DEPTH:** 298FT

UTM X **UTMY DEPTH TO BED:** 293FT 360,218.16 4,440,758.86

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016532 Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/06/11 **TOWNSHIP RANGE SECTION ELEVATION:** 1,057FT

DRILL DEPTH: UTM X UTM Y

34W

12

DEPTH TO BED: 357.410.14 4,440,042.83 113FT

ZONE 15

S.W.L. (BEFORE CASING):

61N

REMARKS:

118FT

S.W.L. (AFTER CASING):



RANGE

SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016541

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/06/12 DRILL DATE: **TOWNSHIP**

61N 34W 12 **DRILL DEPTH:** 334FT

UTM X **UTMY** DEPTH TO BED: 332FT 356,010.13 4,441,456.82

ZONE 15

ELEVATION:

1,021FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016498

DRILL DATE: **TOWNSHIP SECTION** 1957/06/05 **RANGE ELEVATION:** 1,064FT

34W 19 61N DRILL DEPTH: 173FT

UTM X **UTMY** DEPTH TO BED: 167FT 349,262.09 4,437,631.75

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016504

DRILL DATE: 1957/06/07 **TOWNSHIP RANGE SECTION ELEVATION:** 952FT

61N 34W 3 **DRILL DEPTH:** 288FT

UTM X **UTMY** 4,443,152.81

DEPTH TO BED: 285FT 354,257.11 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016503 Exploratory Hole (Mineral Prospect)

81FT

1957/05/20 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,038FT

DRILL DEPTH: UTM X UTM Y

34W

32

DEPTH TO BED: 78FT 350.167.10 4,433,766.71

ZONE 15

S.W.L. (BEFORE CASING):

61N

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016505

DEPTH TO BED:

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/06/05 DRILL DATE:

TOWNSHIP RANGE SECTION 61N 34W

ELEVATION:

950FT

DRILL DEPTH: 255FT

UTM X

UTMY 4,441,778.77

351,242.09

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016542

DRILL DATE:

1957/06/05

253FT

TOWNSHIP

SECTION RANGE 7

ELEVATION: 1,019FT

ZONE 15

DRILL DEPTH: 330FT

34W 61N

UTM X

UTMY

DEPTH TO BED: 325FT

349,366.09

4,440,233.77

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016512

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/06/04

TOWNSHIP RANGE **ELEVATION:**

1,005FT

DRILL DEPTH:

330FT

61N

SECTION

UTM X **UTMY**

DEPTH TO BED:

321FT

347,797.09

4,441,913.79 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016516

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/31

TOWNSHIP

RANGE SECTION **ELEVATION:**

UTM X

922FT

UTM Y

240FT

61N

35W 10

DRILL DEPTH: DEPTH TO BED:

237FT

35W

344.134.08 4,441,858.82

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016466 **WELL TYPE**

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/06/18

TOWNSHIP 61N SECTION 15 **ELEVATION**:

916FT

DRILL DEPTH:

225FT

35W

RANGE

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED:

218FT

344,279.09

4,438,792.80

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016548

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/06/18

TOWNSHIP

RANGE SECTION

ELEVATION:

1,056FT

DRILL DEPTH:

375FT

61N 35W

UTM X

<u>UTM Y</u>

DEPTH TO BED:

371FT

17

340,683.08 4,439,698.83

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016547

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/06/04

TOWNSHIP

RANGE SECTION

2

28

ELEVATION: 1,023FT

DRILL DEPTH:

351FT

61N 35W

UTM X UTM Y

DEPTH TO BED:

345FT

345,995.08 4,443,352.82

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016527

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/21

TOWNSHIP

RANGE SECTION

ELEVATION: 1,021FT

DDU L DEDTU

61N

35W

ZONE 15

DRILL DEPTH:
DEPTH TO BED:

237FT 232FT

<u>UTM X</u> 342.160.08 <u>UTM Y</u> 4,435,597.79

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



RANGE

SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016467

DRILL DATE:

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/05/22

61N 35W 29 **DRILL DEPTH:** 163FT

UTM X **UTMY**

TOWNSHIP

DEPTH TO BED: 160FT 340,561.08 4,436,271.81

ZONE 15

1,054FT

ELEVATION:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 016453

WELL TYPE

Exploratory Hole (Mineral Prospect)

TOWNSHIP SECTION DRILL DATE: 1957/05/22 **RANGE ELEVATION:** 1,067FT

35W 30 61N DRILL DEPTH: 82FT

UTM X UTMY DEPTH TO BED: 73FT 338,757.07 4,435,726.82

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016502

SECTION DRILL DATE: 1957/05/20 **TOWNSHIP RANGE ELEVATION:** 905FT

61N 35W 34 **DRILL DEPTH:** 42FT

UTM X **UTMY**

DEPTH TO BED: 38FT 343,927.09 4,434,347.77 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

016487 Exploratory Hole (Mineral Prospect)

SECTION DRILL DATE: 1957/05/30 **TOWNSHIP RANGE ELEVATION:** 922FT

UTM X UTM Y DEPTH TO BED: 4,442,110.84

35W

342,584.08 232FT

61N

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**:

237FT

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016533

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/05/29 DRILL DATE:

TOWNSHIP RANGE SECTION 61N

ELEVATION: 1,010FT

DRILL DEPTH:

248FT

35W 5

UTM X **UTMY**

DEPTH TO BED: 230FT 340,000.08

4,442,181.86

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016537

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/29

TOWNSHIP

SECTION RANGE

5

ELEVATION:

999FT

DRILL DEPTH:

305FT

35W 61N

UTM X

UTMY

DEPTH TO BED:

301FT

341,125.08

4,442,251.85

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016546

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/29

TOWNSHIP RANGE

SECTION

ELEVATION:

945FT

DRILL DEPTH:

275FT

61N

UTM X

UTM Y

DEPTH TO BED:

267FT

36W

338,145.08

ZONE 15

ZONE 15

4,442,275.87

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

016540

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/28

TOWNSHIP

RANGE

SECTION

ELEVATION:

903FT

228FT

61N

36W 10

DRILL DEPTH: DEPTH TO BED:

218FT

UTM X 333,476.08

UTM Y 4,442,206.91

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016535

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/05/29

TOWNSHIP RANGE SECTION

ELEVATION:

ZONE 15

DRILL DEPTH:

264FT 259FT 36W 12

<u>UTM X</u> 336,704.08 <u>UTM Y</u> 4,442,066.88

930FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

LOG ID: 016521

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/06/18

TOWNSHIP

61N

RANGE SECTION

ELEVATION:

877FT

DRILL DEPTH:

218FT

61N 36W

UTM X

UTM Y

DEPTH TO BED:

213FT

17

331,587.07

ZONE 15

4,440,720.92

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016514

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/28

TOWNSHIP I

RANGE SECTION

2

ELEVATION:

940FT

DRILL DEPTH:

270FT

61N 36W

UTM X

UTM Y

DEPTH TO BED:

265FT

335,131.08 4,442,332.90

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016450

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/23

TOWNSHIP

RANGE SECTION

ELEVATION:

912FT

DD!!! DEDT!

135FT

61N

36W 27

DRILL DEPTH:
DEPTH TO BED:

129FT

<u>UTM X</u> 333,918.06 <u>UTM Y</u> 4,435,953.87

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016536

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/05/23 DRILL DATE:

TOWNSHIP RANGE SECTION 61N

ELEVATION:

1,032FT

DRILL DEPTH:

182FT

36W 28

UTM X **UTMY**

ZONE 15

DEPTH TO BED: 180FT 332,303.06

4,436,024.88

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016482

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/06/19

TOWNSHIP

SECTION RANGE

ELEVATION:

965FT

DRILL DEPTH:

177FT

36W 61N

34

DEPTH TO BED: 175FT UTM X

UTMY 4,434,335.87

333,264.06 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016451

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/23

TOWNSHIP

RANGE SECTION **ELEVATION:**

987FT

183FT

61N

35

DRILL DEPTH:

36W

UTM X **UTMY**

DEPTH TO BED:

178FT

335,678.07 4,435,699.85

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016452

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/23

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,036FT

DRILL DEPTH:

DEPTH TO BED:

21FT

61N

36W 36

UTM X

ZONE 15

337,279.07

UTM Y 4,435,628.84

19FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016517

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/27

TOWNSHIP 61N

SECTION RANGE 6

ELEVATION:

876FT

DRILL DEPTH:

240FT

36W

UTM X

UTMY 4,442,520.94

DEPTH TO BED:

239FT

329,435.07

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016534

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/28

TOWNSHIP

RANGE

SECTION

ELEVATION:

932FT

DRILL DEPTH:

244FT

36W 61N

9

UTM X

UTM Y

DEPTH TO BED:

236FT

331,860.07

4,442,273.92 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016513

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/05/24

TOWNSHIP

RANGE SECTION

ELEVATION:

877FT

61N

12

DRILL DEPTH:

195FT

37W

UTM X

UTMY

DEPTH TO BED:

186FT

327,723.10

4,442,447.97

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

ANDREW